

- floors following partial and clear-cut harvesting. *Canadian Journal of Forest Research* 33 : 1610-1620.
- LINDO, Z. & VISSER, S. 2004. Forest floor microarthropod abundance and oribatid mite (Acari: Oribatida) composition following partial and clear-cut harvesting in the mixedwood boreal forest. *Canadian Journal of Forest Research* 34 : 998-1006.
- LINDO, Z. & WINCHESTER, N.N. 2007. Resident corticolous oribatid mites (Acari: Oribatida): Decay in community similarity with vertical distance from the ground. *Écoscience* 14 : 223-229.
- LINDQUIST, E.E. 1984. Current theories on the evolution of major groups of Acari and their relationships with other groups of Arachnida, with consequent implications for their classification. *Sous la direction de* D.A. Griffiths & C.E. Bowman. *Acarology VI*, Vol. I. Ellis-Horwood Ltd, Chichester, U.K. : 28-62.
- LINDQUIST, E.E. 1986a. The world genera of Tarsonemidae (Acari: Heterostigmata): a morphological, phylogenetic and systematic revision, with a reclassification of family-group taxa in the Heterostigmata. *Memoirs of the Entomological Society of Canada*, 136 : 1-517.
- LINDQUIST, E.E. 1986b. A means of determining sex in larval Tarsonemidae (Acari: Heterostigmata) based on external structure. *Experimental and Applied Acarology* 2 : 323-328.
- LINDQUIST, E.E. 2001. Poising for a new century: Diversification in acarology. *Sous la direction de* R.B. Halliday, D.E. Walter, H.C. Proctor, R.A. Norton & M.J. Colloff, *Acarology: Proceedings of the 10th International Congress*. CSIRO publishing, Melbourne, Australia : 17-34.
- LINDQUIST, E.E., KRANTZ, G.W. & WALTER, D.E. 2009a. Classification. *In* : Krantz & Walter, 2009 : 97-103.
- LINDQUIST, E.E., KRANTZ, G.W. & WALTER, D.E. 2009b. Order Mesostigmata. *In* : Krantz & Walter, 2009 : 124-232.
- LINDQUIST, E.E., SABELIS, M.W. & BRUIN, J. (*sous la direction de*). 1996. *Eriophyoid Mites: Their Biology, Natural Enemies and Control*. *World Crop Pests*, Vol. 6. Elsevier Science Publishers, Amsterdam, Pays-Bas.
- LINDQUIST, E.E. & WALTER, D.E. 1989. *Antennoseius (Vitzthumia) janus* n. sp. (Acari, Ascidae), a mesostigmatic mite exhibiting adult female dimorphism. *Canadian Journal of Zoology* 67 : 1291-1310.
- LINNÉ, C. VON. 1758. *Systema naturæ per regna tria naturæ, secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis, locis*. Tomus I. Editio decima, reformata. Holmiæ, L. Suède.
- LIPIEC, J., KUS, J., SŁOWINSKA-JURKIEWICZ, A. & NOSALEWICZ, A. 2006. Soil porosity and water infiltration as influenced by tillage methods. *Soil and Tillage Research* 89 : 210-220.

- MACCHIONI, F. 2007. Importance of phoresy in the transmission of Acarina. *Parassitologia* 49 : 17-22.
- MACKEY, W.P., SILVA, S. & WHITFORD, W.G. 1987. Diurnal activity patterns and vertical migration in desert soil microarthropods. *Pedobiologia* 30 : 65-71.
- MAGGENTI, M.A.B., MAGGENTI, A.R. & GARDNER, S.L. 2005. *Online dictionary of invertebrate zoology*. digitalcommons.unl.edu.
- MARAUN, M., ERDMANN, G., SCHULZ, G., NORTON, R.A., SCHEU, S. & DOMES, K. 2009. Multiple convergent evolution of arboreal life in oribatid mites indicates the primacy of ecology. *Proceedings of the Royal Society* 276B : 3219-3227.
- MÉGNIN, P. 1873a. Sur la position zoologique et le rôle des Acariens parasites connus sous les noms d'*Hypopus*, *Hornopus* et *Trichodactylus*. *Comptes rendus hebdomadaires des séances de l'Académie des sciences* 77 : 129-132.
- MÉGNIN, P. 1873b. Sur la position zoologique et le rôle des Acariens parasites nommés *Hypopus*. *Comptes rendus hebdomadaires des séances de l'Académie des sciences* 77 : 492-493.
- MARCONI, M.F. & HILL, A. 2010. Identification of cheese mite species inoculated on Mimolette and Milbenkase cheese through cryogenic scanning electron microscopy. *Journal of Dairy Science* 93 : 3461-3468.
- MICHAEL, A.D. 1884a. British oribatidae (Vol. 1). London, Ray Society.
- MICHAEL, A.D. 1884b. The *Hypopus* question, or the life-history of certain *Acarina*. *Journal of the Linnean Society of London, Zoology* 17 : 371-394.
- MICHAEL, A.D. 1892. IX. On the variations of the internal anatomy of the Gamasinæ, especially in that of the genital organs, and on their mode of coition. *Transactions of the Linnean Society of London. 2nd Series Zoology* 5 : 281-324.
- MINDELL, D.P. & MEYER, A. 2001. Homology evolving. *Trends in Ecology and Evolution* 16 : 434-440.
- MINELLI, A. 2003. *The development of animal form: ontogeny, morphology, and evolution*. Cambridge University Press, Cambridge, UK.
- MINELLI, A., MARUZZO, D. & FUSCO, G. 2010. Multi-scale relationships between numbers and size in the evolution of arthropod body features. *Arthropod Structure & Development* 39 : 468-77.
- MINOR, M.A. 2006. Phytoseiidae of New Zealand (version 1.0, 2006). CD-ROM. Ministry of Agriculture and Forestry, Wellington, New Zealand.
- MITCHELL, M.J. 1978. Vertical and horizontal distributions of oribatid mites (Acari: Cryptostigmata) in an aspen woodland soil. *Ecology* 59 : 516-525.
- MONFREDA, R., LEKVEISHVILI, M., PETANOVIC, R. & AMRINE, J.W. 2010. Collection and detection of eriophyoid mites. *Experimental and applied Acarology* 51 : 273-282.

- MONOD, J. 1970. *Le hasard et la nécessité*. Le Seuil, Paris, France.
- MORENO, J.L., GERECKE, R. & TUZOVSKIJ, P. 2008. Biology and taxonomic position of an ovoviviparous water mite (Acari: Hydrachnidia) from a hypersaline spring in southern Spain. *Aquatic Insects* 30 : 307-317.
- MORRIS, S.J., FRIESE, C.F. & ALLEN M.F. 2007. Disturbance in natural ecosystems: Scaling from fungal diversity to ecosystem functioning. Sous la direction de C.P. Kubicek & I.S. Druzhinina, *Environmental and Microbial Relationships*, (2^e édition). *The Mycota IV*. Springer-Verlag Berlin Heidelberg, Allemagne : 31-45.
- MOTHES, U. & SEITZ, K.A. 1981. Fine structure and function of the prosomal glands of the two-spotted spider mite, *Tetranychus urticae* (Acari, Tetranychidae). *Cell and Tissue Research* 221 : 339-349.
- MURRELL, A., DOBSON, S.J., WALTER, D.E., CAMPBELL, N.J.H., SHAO, R.F. & BARKER, S.C. 2005. Relationships among the three major lineages of the Acari (Arthropoda: Arachnida) inferred from small subunit rRNA: paraphyly of the parasitiformes with respect to the opilioacariformes and relative rates of nucleotide substitution. *Invertebrate Systematics* 19 : 383-389.
- NAYROLLES, P. 1998. Analysis of a species/instars/characters table: a theoretical survey on the use of chaetotaxy in ontophylogenetic studies. *Contributions to Zoology* 67 : 197-220.
- N'DRI, J.K. & ANDRÉ, H.M. 2011. Soil mite densities from central Ivory Coast. *Journal of Animal & Plant Sciences* 10 : 1283-1299.
- N'DRI, J.K., ANDRÉ, H.M. & HANCE, TH. 2011. Soil mite diversity from Ivory Coast. *European Journal of Scientific Research* 64 : 263-276.
- NICOLET, H. 1855. Histoire naturelle des Acariens qui se trouvent aux environs de Paris. *Archives du Muséum d'Histoire naturelle, Paris* 7 : 381-482.
- NICOT, J. 1606. *Thresor de la langue françoise, tant ancienne que moderne*. Paris, David Douceur.
- NICOUD, M. 1994. « Che manza fichi, semina rognà » : problèmes d'identification d'une dermatose au Moyen Age. *Médiévales* 26 : 85-101.
- NORTON, A.P., ENGLISH-LOEB, G. & BELDEN, E. 2001. Host plant manipulation of natural enemies: leaf domatia protect beneficial mites from insect predators. *Oecologia* 126 : 535-542.
- NORTON, R.A. 1980. Observations on phoresy by oribatid mites (Acari: Oribatei). *International Journal of Acarology* 6 : 121-130.
- NORTON, R.A. 1994. Evolutionary aspects of oribatid mite life histories and consequences for the origin of the Astigmata. *Sous la direction de M.A. Houck, Mites: ecological and evolutionary analyses of life-history patterns*. Chapman & Hall, New York, USA : 99-135.

- NORTON, R.A. 1998. Morphological evidence for the evolutionary origin of Astigmata (Acari: Acariformes). *Experimental & applied Acarology* 22 : 559-594.
- NORTON, R.A. 2001. Systematic relationships of Nothrolahmanniidae, and the evolutionary plasticity of body form in Enarthronota (Acari: Oribatida). *Sous la direction de* R.B. Halliday, D.E. Walter, H.C. Proctor, R.A. Norton & M.J. Colloff, *Acarology: Proceedings of the 10th International Congress*. CSIRO publishing, Melbourne, Australia : 58-75.
- NORTON, R.A. 2010. Systematic relationships of Lohmanniidae (Acari: Oribatida). *Sous la direction de* M.W. Sabelis & J. Bruin, *Trends in Acarology – Proceedings 12th International Congress of Acarology*. Springer-Science + Business Media B. V., Dordrecht, Pays-Bas : 9-16.
- NORTON, R.A. & ALBERTI, G. 1997. Porose integumental organs of oribatid mites (Acari: Oribatida). 3. Evolutionary and ecological significance. *Zoologica (Stuttgart)* 146 : 115-143.
- NORTON, R.A. & BEHAN-PELLETIER, V.M. 2009. Suborder Oribatida. *In* : Krantz & Walter, 2009 : 430-564.
- NORTON, R.A. & KETHLEY, J.B. 1994. Ecdysial cleavage lines of acariform mites (Arachnida, Acari). *Zoologica Scripta* 23 : 175-191.
- NORTON, R.A., KETHLEY, J.B., JOHNSTON, D.E. & O'CONNOR, B.M. 1993. Phylogenetic perspectives on genetic systems and reproductive modes of mites. *Sous la direction de* D.L. Wrensch & M.A. Ebbert. *Evolution and diversity of sex ratio in insects and mites*. Chapman & Hall, New York, USA : 8-99.
- NORTON, R.A., OLIVEIRA, A.R. & DE MORAES, G.J. 2008. First Brazilian records of the acariform mite genera *Adelphacarus* and *Gordialycus* (Acari: Acariformes: Adelphacaridae and Nematalycidae). *International Journal of Acarology* 34 : 91-94.
- NORTON, R.A. & PALMER, S.C. 1991. The distribution, mechanisms and evolutionary significance of parthenogenesis in oribatid mites. *Sous la direction de* R. Schuster & P.W. Murphy, *The Acari. Reproduction, development and life-history strategies*. Chapman & Hall, London, U.K. : 107-136.
- NOTI, M.-I., ANDRÉ, H.M. & DUFRÊNE, M. 1997. Soil oribatid mite communities (Acari: Oribatida) from high Shaba (Zaire) in relation to vegetation. *Applied Soil Ecology* 5 : 81-96.
- O'CONNOR, B.M. 1984. Phylogenetic relationships among higher taxa in the Acariformes, with particular reference to the Astigmata. *Sous la direction de* D.A. Griffiths & C.E. Bowman. *Acarology VI*, Vol. I. Ellis-Horwood Ltd, Chichester, U.K. : 19-27.
- O'CONNOR, B.M. 2009. Cohort Astigmatina. *In* : Krantz & Walter, 2009 : 565-657.
- OEFELE, F. von. 1901. Studien über die altägyptische Parasitologie: 2. Teil. *Archives de Parasitologie* 4 : 481-530.

- ONZO, A., HANNA, R., ZANNOU, I., SABELIS, M.W. & YANINEK, J.S. 2003. Dynamics of refuge use: diurnal, vertical migration by predatory and herbivorous mites within cassava plants. *Oikos* 101 : 59-69.
- OTTO, J.C. & OLOMSKI, R. 1994. Observations on a motile prelarva in *Chaussieria venustissima* (Berlese, 1882) (Acari: Anystidae), with a description of the larva. *Canadian Journal of Zoology* 72 : 287-292.
- OUDEMANS, A.C. 1906. Nieuwe classificatie der Acari. *Entomologische Berichten* 2 : 43-46.
- OUDEMANS, A.C. 1936. *Kritisch historisch overzicht der acarologie*. Derde gedeelte, band A. E. J. Brill, Leiden, Pays-Bas.
- OWEN, R. 1843. *Lectures on the comparative anatomy and physiology of the invertebrate animals*. Longman, Brown, Green & Longmans, London, UK.
- PASCAL, Bl. 1670. *Pensées de M. Pascal sur la religion et sur quelques autres sujets*. Guillaume Desprez, Paris, France (posthume).
- PEPATO, A.R., DA ROCHA, C.E.F. & DUNLOP, J.A. 2010. Phylogenetic position of the acariform mites: sensitivity to homology assessment under total evidence. *BMC Evolutionary Biology* 10 : 235 (<http://www.biomedcentral.com/1471-2148/10/235>).
- PÉREZ-EID, Cl. 2007. *Les tiques. Identification, biologie, importance médicale et vétérinaire*. Lavoisier, Paris, France.
- PEROTTI, M.A., BRAIG, H.R. & GOFF, M.L. 2010. Phoretic mites and carcasses: Acari transported by organisms associated with animal and human decomposition. *Sous la direction de J. Amendt, C. Campobasso, M. Grassberger & M.L. Goff, Current concepts in forensic entomology*. Springer, New York, USA : 69-92.
- PRALAVORIO, M., FOURNIER, D. & MILLOT, P. 1989. Activité migratoire des tétranyques : Mise en évidence d'un rythme. *Entomophaga* 34 : 129-134.
- PRICE, D.W. & BENHAM, JR.G.S. 1977. Vertical distribution of soil-inhabiting microarthropods in an agricultural habitat in California. *Environmental Entomology* 6 : 575-580.
- PROCTOR, H. 1992. Sensory exploitation and the evolution of male mating behaviour: a cladistic test using water mites (Acari: Parasitengona). *Animal Behaviour* 44 : 745-752.
- PROCTOR, H.C. 2001. Extracting aquatic mites from stream substrates: a comparison of three methods. *Experimental & applied Acarology* 25 : 1-11.
- PROCTOR, H. & SMITH, B.P. 1994. Mating behaviour of the water mite *Arrenurus manubriator* Marshall (Acari: Arrenuridae). *Journal of Zoology, London* 232 : 473-483.
- PROCTOR, H.C. 2003. Feather mites (Acari: Astigmata): ecology, behavior, and evolution. *Annual Review of Entomology* 48 : 185-209.

- PROCTOR, H. & OWENS, I. 2000. Mites and birds: diversity, parasitism and coevolution. *Trends in Ecology & Evolution* 19 : 358-364.
- RADOVSKY, F.J. 1994. The evolution of parasitism and the distribution of some dermanysoid mites (Mesostigmata) in vertebrate hosts. *Sous la direction de M.A. Houck, Mites: ecological and evolutionary analyses of life-history patterns*. Chapman & Hall, New York : 186-217.
- REGIER, J.C., SHULTZ, J.W., ZWICK, A., HUSSEY, A., BALL, B., WETZER, R., MARTIN, J.W. & CUNNINGHAM, C.W. 2010. Arthropod relationships revealed by phylogenomic analysis of nuclear protein-coding sequences. *Nature* 463 : 1079-1083.
- RITZ, K., BLACK, H.I.J., CAMPBELL, C.D., HARRIS, J. & WOOD, C.M. 2009. Selecting biological indicators for monitoring soils: A framework for balancing scientific and technical opinion to assist policy development. *Ecological Indicators* 9 : 1212-1221.
- ROSENKRANZ, P., AUMEIER, P. & ZIEGELMANN, B. 2010. Biology and control of *Varroa destructor*. *Journal of Invertebrate Pathology* 103 Suppl 1 : 96-119.
- SABELIS, M.W. & NAGELKERKE, C.J., 1988. Evolution of pseudo-arrhenotoky. *Experimental and applied Acarology* 4 : 301-318.
- SANDERS, F.H. & NORTON, R.A. 2004. Anatomy and function of the ptychoid defensive mechanism in the mite *Euphthiracarus cooki* (Acari: Oribatida). *Journal of Morphology* 259 : 119-154.
- SANTOS, P.F. & WHITFORD, W.G. 1983. Seasonal and spatial variation in the soil microarthropod fauna of the white sands national monument. *Southwestern Naturalist* 28 : 417-421.
- SAVORY, T.H. 1935. *The Arachnida*. Edward Arnold & Co., London, U.K.
- SAVORY, T.H. 1964. *Arachnida*. Academic Press, London, U.K.
- SCHÄFFER, S., KOBLMÜLLER, S., PFINGSTL, T., STURMBAUER, C. & KRISPER, G. 2010. Ancestral state reconstruction reveals multiple independent evolution of diagnostic morphological characters in the "Higher Oribatida" (Acari), conflicting with current classification schemes. *BMC Evolutionary Biology* 10: 246. <http://www.biomedcentral.com/1471-2148/10/246>.
- SCAR, 2003. Twenty-fifth Antarctic Treaty Consultative Meeting Warsaw, Poland, 10–20 September 2002. *Scientific Committee on Antarctic Research Bulletin* 150 : 1-52.
- SCHATZ, H. & BEHAN-PELLETIER, V. 2008. Global diversity of oribatids (Oribatida: Acari: Arachnida). *Hydrobiologia* 595 : 323-328.
- SENGBUSCH, H.G. & HAUSWIRTH, J.W. 1986. Prevalence of hair follicle mites, *Demodex folliculorum* and *D. brevis* (Acari: Demodicidae), in a selected human population in western New York, USA. *Journal of Medical Entomology* 23 : 384-388.

- SHATROV, A.B. 2000 (1999). Contribution to the prelarva status : the moulting cycle of the calyptostasic prelarva of the trombiculid mite *Leptotrombidium orientale* (Acariformes : Trombiculidae). *Acarologia* 40 : 265-274.
- SHATROV, A.B. 2001. Ultrastructure of the integument during moulting of the quiescent tritonymphal instar of trombiculid mite *Hirsutiella zachvatkini* (Acariformes: Trombiculidae). *Experimental and Applied Acarology* 25 : 127-142.
- SHATROV, A.B. 2005. Description of mouthparts in adult mites of *Platytrombidium fasciatum* (C. L. Koch, 1836) (Acariformes: Microtrombiidae) with a comparison of those of the larvae. *Acarina* 13 : 47-74.
- SHEVCHENKO, V.G. 1961. Osobennosti postembryonal'nogo razvitiya chetyrekhnogikh kleschei-gallobrazovateleï (Acariformes, Eriophyidae) i nekotorye zamechaniya po sistematike *Eriophyes laevis* (Nal., 1889) *Zoologicheskii Zhurnal* 40 : 1143-1158 [en russe].
- SHULTZ, J.W. 1989. Morphology of locomotor appendages in Arachnida: evolutionary trends and phylogenetic implications. *Zoological Journal of the Linnean Society* 97 : 1-56.
- SHULTZ, J.W. 1990. Evolutionary morphology and phylogeny of Arachnida. *Cladistics* 6 : 1-38.
- SHULTZ, J.W. 2007. A phylogenetic analysis of the arachnid orders based on morphological characters. *Zoological Journal of the Linnean Society* 150 : 221-265.
- SCHUSTER, R. & PÖTSH, H. 1989. Another record of an active prelarva in mites. *Sous la direction de G.P. Channabasavanna & C.A. Viraktamath, Progress in Acarology*, Brill, Leiden, Pays-Bas, 1 : 261-265.
- SILVA, S., WHITFORD, W.G., JARRELL, W.M. & VIRGINIA, R.A. 1989. The microarthropod fauna associated with a deep rooted legume, *Prosopis glandulosa*, in the Chihuahuan Desert. *Biology and Fertility of Soils* 7 : 330-335.
- SITNIKOVA, L.G. 1978. The main evolutionary trends of the Acari and the problem of their monophyletism. *Entomological Review* 57 : 303-321. (traduit d'*Entomologicheskij Obozrenie* 57 : 431-457).
- SMITH, I.M., COOK, D.R. & SMITH, B.P. 2010. Water mites (Hydrachnidia) and other Arachnids. *Sous la direction de J.H. Thorp & A.P. Covich Ecology and Classification of North American Invertebrates* (3^e Éd.). Academic Press, San Diego, CA, USA : 485-586.
- SOUTHCOTT, R.V. 1961. Studies on the systematics and biology of the Erythraeoidea (Acarina), with a critical revision of the genera and subfamilies. *Australian Journal of Zoology* 9 : 367-610.
- STEJSKAL, V., AULICKÝ, R., KUČEROVÁ, Z. & LUKÁŠ, J. 2008. Method of sampling and laboratory extraction affects interpretation of grain infestation by storage pests. *Journal of Plant Diseases and Protection* 115 : 129-133.

- STRIGANOVA, B.R. 1996. Adaptive strategies of colonization of the soil stratum by animals. *Eurasian Soil Science* 29 : 643-650.
- SUBÍAS, L.S. 2004. Listado sistemático, sinonímico y biogeográfico de los ácaros oribátidos (Acariformes: Oribatida) del mundo (excepto fósiles). *Graellsia* 60 (hs) : 3-305 (Liste mise à jour en février 2011).
- TEILHARD DE CHARDIN, P. 1955. *Le phénomène humain*. Le Seuil, Paris, France.
- THON, K. 1905. Neue Luftorgane bei Milben. *Zoologischer Anzeiger* 28 : 585-594.
- TILBROOK, P.J. 1967. The Terrestrial Invertebrate Fauna of the Maritime Antarctic. *Philosophical Transactions of the Royal Society of London* 252B : 261-278.
- TONDOH, J.E., MONIN, M.L., TIHO, S. & CSUZDI C. 2007. Can earthworms be used as bio-indicators of land-use perturbations in semi-deciduous forest? *Biology and Fertility of Soils* 43 : 585-592.
- TONDOH, J.E., GUÉI, A.M., CSUZDI, C. & OKOTH, P. 2011. Effect of land-use on the earthworm assemblages in semi-deciduous forests of Central-West Ivory Coast. *Biodiversity Conservation* 20 : 169-184.
- TOURNIER, M. 1986. *Petites proses*. Éditions Gallimard, Folio, Paris.
- TRAVÉ, J., 1963. Écologie et biologie des Oribates (Acariens) saxicoles et arboricoles. *Vie et Milieu*, suppl. 14 : 1-267.
- TRAVÉ, J., ANDRÉ, H.M., TABERLY, G. & BERNINI, F. 1996. *Les acariens oribates*. AGAR Publishers, Wavre, Belgique.
- UECKERMANN, E.A. & TIEDT, L.R. 2003. First record of *Riccardoella limacum* (Schrank, 1776) and *Riccardoella oudemansi* Thor, 1932 (Acari: Ereyneidae) from South Africa. *African Plant Protection* 8 : 23-26.
- UEHARA, K., TOYODA, Y. & KONISHI, E. 2000. Contamination of passenger trains with *Dermatophagoides* (Acari: Pyroglyphidae) mite antigen in Japan. *Experimental and applied Acarology* 24 : 727-34.
- UUSITALO, M. 2010. Terrestrial species of the genus *Nanorchestes* (Endeostigmata: Nanorchestidae) in Europe. *Sous la direction de M.W. Sabelis & J. Bruin, Trends in Acarology—Proceedings 12th International Congress of Acarology*. Springer-Science + Business Media B. V., Dordrecht, Pays-Bas : 161-166.
- VACANTE, V. 2010. Citrus mites: identification, bionomy and control. CABI Wallington, U.K.
- VACHON, M. 1973. Étude des caractères utilisés pour classer les familles et les genres de Scorpions (Arachnides). 1. La trichobothriotaxie en Arachnologie. Sigles trichobothriaux et types de trichobothriotaxie chez les scorpions. *Bulletin du Muséum national d'Histoire naturelle* (3^e sér.) 140, Zool. 104 : 857-958.
- VAN IMPE, G. 1983. Incidences toxicologiques de l'évolution du système respiratoire embryonnaire chez l'acarien tisserand commun, *Tetranychus*

- urticae* Koch (Acari : Tetranychidae). *Mededelingen van de Faculteit Landbouwwetenschappen, Rijksuniversiteit Gent* 48: 253-261.
- VAN IMPE, G. 1991. De la difficulté de désigner correctement un organisme vivant. Le cas du Tétranyque tisserand, *Tetranychus urticae* Koch, 1836 (Acari : Tetranychidae). *Bulletin et Annales de la Société royale belge d'Entomologie* 127 : 71-76.
- VANNIER, G. 1973. Originalité des conditions de vie dans le sol due à la présence de l'eau : importance thermodynamique et biologique de la porosphère. *Annales de la Société royale zoologique de Belgique* 103 : 157-167.
- VÁZQUEZ, M.M. & KLOMPEN, H. 2002. The family Opilioacaridae (Acari: Parasitiformes) in North and Central America, with description of four new species. *Acarologia* 42 : 299-322.
- WALLWORK, J.A. 1959. The distribution and dynamics of some forest soil mites. *Ecology* 40 : 557-563.
- WALLWORK, J.A. 1976. *The distribution and diversity of soil fauna*. Academic Press, London, U.K.
- WALTER, D.E. 2000. A jumping mesostigmatan mite, *Saltiseius hunteri* n. g. n. sp. (Acari: Mesostigmata: Trigynaspida: Saltiseiidae, n. fam.) from Australia. *International Journal of Acarology* 26 : 25-31.
- WALTER, D.E. 2006. Invasive mite identification: tools for quarantine and plant protection, Lucid v. 3.3. Mise à jour le 24 juillet 2006. Colorado State University, Ft. Collins, CO and USDA/APHIS/PPQ Center for Plant Health Science and Technology, Raleigh, NC. [En ligne] <http://www.lucidcentral.org/keys/v3/mites/> [consulté le 14 mai 2012].
- WALTER, D.E. 2009a. Reproduction and embryogenesis. *In* : Krantz & Walter, 2009 : 54-56.
- WALTER, D.E. 2009b. Order Holothyrida (Holothyrida, Tetrastigmata). *In* : Krantz & Walter, 2009 : 107-110.
- WALTER, D.E. 2009b. Suborder Endeostigmata. *In* : Krantz & Walter, 2009 : 421-429.
- WALTER, D.E. & BEHAN-PELLETIER, V.M. 1999. Mites in forest canopies: addressing the size shortfall? *Annual Review of Entomology* 44 : 1-19.
- WALTER, D.E. & HARVEY, M.S. 2009. Order Opilioacarida. *In* : Krantz & Walter, 2009 :104-106.
- WALTER, D.E., LINDQUIST, E.E., SMITH, I.M., COOK, D.R. & KRANTZ, G.W. 2009. Order Trombidiformes. *In* : Krantz & Walter, 2009 : 233-420.
- WALTER, D.E. & PROCTOR, H.C. 1998. Feeding behaviour and phylogeny: Observations on early derivative Acari. *Experimental and Applied Acarology* 22 : 39-50.

- WALTER, D.E. & PROCTOR, H.C. 1999. *Mites: Ecology, evolution and behaviour*. University of NSW Press, Sydney and CABI, Wallingford, U.K.
- WALTER, D.E. & PROCTOR, H.C. 2010. Mites as modern models: Acarology in the 21st century. *Acarologia* 50 : 131-141.
- WAUTHY, G. & LEBRUN, PH. 1980. Synecology of forest soil oribatid mites of Belgium. I. The zoological classes. Sous la direction de D.L. Dindal, *Soil Biology as Related to Land Use Practices*, U.S. E.P.A. (n° 560/12-80-038), Washington, USA : 785-805.
- WAUTHY, G., LEPONCE, M., BANAI, N., SYLIN, G. & LIONS, J.-Cl. 1997. Un acarien qui saute et qui se met en boule - A mite that jumps and curls up. *Comptes Rendus de l'Académie des Sciences, Série III - Sciences de la Vie* 320 : 315-317.
- WAUTHY, G., LEPONCE, M., BANAI, N., SYLIN, G. & LIONS, J.-Cl. 1998. The backward jump of a box moss mite. *Proceedings of the Royal Society of London, Biological Sciences* 265B : 2235-2242.
- WHARTON, G.W. 1959. The future of systematic zoology. *Systematic Zoology* 8 : 82-87.
- WEIGMANN, G. 2001. The body segmentation of oribatid mites from a phylogenetic perspective. *Sous la direction de R.B. Halliday, D.E. Walter, H.C. Proctor, R.A. Norton & M.J. Colloff, Acarology: Proceedings of the 10th International Congress*. CSIRO publishing, Melbourne, Australia : 43-49.
- WEIGMANN, G. 2006. Hornmilben (Oribatida). *Die Tierwelt Deutschlands* 76 : 1-520.
- WERGIN, W.P., OCHOA, R., ERBE, E.F., CRAEMER, C. & RAINA, A.K. 2000. Use of low-temperature field emission scanning electron microscopy to examine mites. *Scanning* 22 : 145-155.
- WERNZ, J.G. & KRANTZ, G.W. 1976. Studies on the function of the tritosternum in selected Gamasida (Acari). *Canadian Journal of Zoology* 54 : 202-213.
- WEYGOLDT, P. & PAULUS, H.F. 1979. Untersuchungen zur Morphologie, Taxonomie und Phylogenie der Chelicerata. *Zeitschrift für Zoologische Systematik und Evolutionsforschung* 17 : 85-116, 177-200.
- WHEELER, W.C. & HAYASHI, C.Y. 1998. The phylogeny of the extant chelicerate orders. *Cladistics* 14 : 173-192.
- WHITFORD, W.G. & PARKER, L.W. 1989. Contributions of soil fauna to decomposition and mineralization processes in semiarid and arid ecosystems. *Arid Soil Research and Rehabilitation* 3 : 199-215.
- WITH, C.J. 1902. A new acaride *Opilioacarus segmentatus*. *Forhandlingar vid Nordiska Naturforskareog Lakaremotet i Helsingfors den 7 till 12 Juli 1902 (Comptes Rendus du Congrès des Naturalistes et Médecins du Nord tenu à Helsingfors), Sektionen for Zoologi, VI* : 4-5.

- WITH, C.J. 1904. The Notostigmata, a new suborder of Acari. *Videnskabelige meddelelser fra den Naturhistoriske Forening i. Kjøbenhavn*, 1904 : 137-192.
- WOOLLEY, T. 1988. *Acarology: Mites and Human Welfare*. New York : Wiley Interscience.
- WURST, E. & HAVELKA, P. 1997. Redescription and life history of *Tytodectes strigis* (Acari: Hypoderatidae), a parasite of the barn owl *Tyto alba* (Aves: Strigidae). *Stuttgarter Beiträge zur Naturkunde, Ser. A (Biologie)* 554 : 1-39.
- WURST, E. & PFISTER, T. 1990. On the biology of *Baloghella melis* Mahunka, 1963 (Acari: Acaridida: Glyciphagidae). *Bonner Zoologische Beiträge* 41 : 157-162.
- YODER, J.A., BENOIT, J.B., RELLINGER, E.J., ARK, J.B., HALLORAN, M.C. & GRIBBINS, K.M. 2006. Structure and function of the urnulae in a Balaustium sp. (Parasitengona: Erythraeidae) featuring secretion of a defensive allomone and alarm pheromone. *International Journal of Acarology* 32 : 3-12.
- ZACHVATKIN, A.A. 1952. Razdeleniye kleschey (Acarina) i ikh polozheniye v sisteme Chelicerata [Division des acariens en ordres et leur position dans le système des Chelicerata]. *Parazitologicheskii Sbornik* 14 : 5-46 [en russe].
- ZAWAL, A. 2006. Phoresy and parasitism: water mite larvae of the genus *Arrenurus* (Acari: Hydrachnidia) on Odonata from Lake Binowskie (NW Poland). *Biological Letters* 43 : 257-276.
- ZHANG, Z.-Q. 2011. Animal biodiversity: An introduction to higher-level classification and taxonomic richness. *Zootaxa* 3148 : 7-12.
- ZHANG, Z.-Q. & SANDERSON, J.P. 1993. Association of *Ereynetes* tritonymphs (Acari: Ereynetidae) with the fungus gnat, *Bradysia impatiens* (Diptera, Sciaridae). *International Journal of Acarology* 19 : 179-183.

Index

Cet index est raisonné et ne renvoie pas systématiquement à chaque occurrence du mot. La pagination est indiquée en fin de tabulation. Les nombres en italiques concernent des figures ; les grasses renvoient à du texte encadré ou à un tableau de la première partie et aux chapitres de la seconde. La pagination des mots dérivés (chitiniser, larvaire par exemple) figure dans la vedette principale (chitine, larve). Quand il est différent, le nom anglais ou latin suit entre parenthèses la dénomination française. Seuls les taxons de rang supérieur à la famille sont repris et cités sous l'appellation scientifique.

A

Acariformes.....3, 4, 5, 7, 8, 20, 21, 23, 27, 28, 37, 40, 41, 42, 43, 47, 52, 53, 57, 58, 63, 64, 68, 69, 85, 88, 90, 94, 146
Acron.....28
Actinopiline (actinopilin).....3, 37, 38, 40, 41, 44, 45, 88, 94, 128
Actinotrichida3, 7, 88, 94
Adénotaxie (adenotaxy).....6, 54
Adulte (adult).....5, 6, 24, 56, 57, 58, 61, 63, 65, 66, 68, 70, 71, 72, 75, 86, 91, 96, 99, 102, 118, 139
Ædège (aedeagus).....60, 117, 122
Aire poreuse (area porosa).....55, 91, 106, 108, 129
Ambulacre (ambulacrum)...27, 28, 138
Amphistaxie (amphistasy).....71
Anabase (anabasis).....49, 50
Anactinotrichida3, 7, 41, 52, 88, 89
Analogie (analogy).....41, 46, 69
Andropolymorphisme (andropolymorphism).....66, 67, 70
Anisotropie (anisotropy).....40
Antenne (antenna).....5, 26, 28
Anus.....20, 23, 24, 35, 136
Apodème (apodeme).....23, 32, 35, 36, 119, 120, 121, 137, 141, 144
Apoderme (apoderma).....60

Apophéréderm (apopheredermous).....130
Apotèle (apotele).....25, 26, 27, 28, 29, 30, 46, 49, 91, 94, 104, 117, 120, 138, 140, 141
Apparence (appearance).....56
Appendice (appendage).....5, 15, 16, 20, 28, 29, 30, 31, 52, 60, 94
Approche moléculaire (molecular approach)3, 7
Arachnida.....3, 5
Arrhénotoquie (arrhenotoky).....70, 71
Arthropode3, 5, 51, 62, 75, 102, 116, 130
Aspidosome (aspidosoma).....20
Aspis20, 82
Astigmata.....7, 30, 45, 81, 91, 92
Asymétrie fluctuante (fluctuating asymmetry).....51

B

Banque de données (data bank).....19
Biréfringence (birefringence).....40
Bothridie (bothridium).....37, 38, 120
Bouche (mouth).....20, 29, 30, 47, 53, 94, 136
Bursa copulatrix59, 143

- C**
- Cadre chélicérien (cheliceral frame).....28, 29
- Calcar (thumb-claw).....43, 44, 47, 90, 93, 118
- Calyptostase (calyptostasis).....60, 64, 65, 67, 70, 114, 136
- Camérostome (camerostome).....30
- Canal médullaire (medullary canal).38
- Canal podocéphalique *cpc* (podocephalic canal).....42, 43, 53, 58, 88
- Canal spermatique (sperm duct).....59
- Canalicule axial (axial canaliculus).....37, 38, 39, 46
- Capitulum28
- Carène (carina).....35, 36, 130
- Cérotégument (cerotegument).....33, 104, 113
- Cervix *CE*.....30, 32
- Chætotaxie (chaetotaxy).....16, 50, 72
- Chélicère (chelicera)...5, 6, 28, 29, 30, 31, 32, 33, 44, 47, 51, 82, 90, 90, 91, 92, 94, 95, 102, 103, 106, 109, 111, 112, 113, 114, 115, 116, 117, 118, 120, 124, 125, 127, 134, 139
- Chitine.....35, 37, 40, 45, 124
- Cladogramme (cladogram).....4, 8
- Classification2, 3, 7, 21, 40, 55, 56, 88, 97, 127
- Code2, 15
- Col (cervix)59, 108
- Coloration (staining)12, 13, 40
- Commensalisme (commensalism)83, 84, 86
- Commissure *J*.....30, 47
- Condyle26, 32, 95
- Condylophore138, 141
- Conservation (preservation)12
- Corniculus43, 44, 46
- Costula130, 133
- Coxa3, 6, 25, 29, 32, 42, 43, 88, 89, 99
- Crête métopique (crista metopica)93, 115
- Cupule52, 128
- Cuspide (cuspid).....36, 134
- Cuticule.....33, 34, 37, 46, 60, 64, 145
- Cyclomorphose (cyclomorphosis)....67
- D**
- Dactylie (dactyly).....27, 90, 93
- Définition (definition).....4, 20, 41
- Désignation (designation).....16, 49, 73, 123, 137
- Dessin (drawing).....8, 13, 15, 16, 17, 21, 33, 39, 77, 81, 113, 130
- Deutérogyne (deuterogyne).....67
- Deutérotokie (deuterotoky).....70
- Deutonymphe (deutonymph)....54, 58, 61, 63, 65, 67, 70, 73, 82, 132
- Deutopolymorphisme (deutopolymorphism).....67
- Deutosternum30, 44, 53
- Dichôidie (dichoidy)21
- Dimorphisme sexuel (sexual dimorphism).....60, 66, 70, 120, 141
- Diplodiploïdie (diplodiploidy).....70
- Dispersion (dispersal).....70, 81, 136, 146
- Disque ambulacraire (ambulacral disc)122, 144
- Diversité (diversity).....70, 74, 88, 146
- Doigt fixe (digitus fixus).....29, 32, 90, 92, 111, 112
- Doigt mobile (digitus mobilis)....29, 32, 90, 92, 111, 112, 117
- E**
- Eau (water).....12, 14, 15, 74, 80, 84, 111, 113, 131, 146
- Écaille (scale).....22, 34
- Éclaircissage (clearing).....12
- Élattostase (elattostasis).....60, 64, 68, 70
- Empodium.....27, 28, 90
- Endeostigmata.7, 30, 91, 92, 123, 124
- Endostase.....60, 65

Épimère (epimeron).....23, 36, 88, 131
 Épistome (epistome).....30, 33, 35
 États inhibés (inhibited state).....60
 Eupathidie (eupathidium).....33, 37,
 38, **39**, 46, 47, 104
 Euphéréderme (eupheredermous).130
 Eustasie (eustasy).....71
 Évolution palpienne (palpian evolu-
 tion)28
 Exosquelette (exoskeleton).....5, 34,
 35, 36, 37, 44, 51
 Extraction
 à film graisseux (on a grease film).12
 entonnoir de Berlese-Tullgren
 (Berlese-Tullgren funnel)11
 lavage (washing)11
 Exuvie (exuvia).....60, 130

F

Face dorsale (dorsal face).....15, 16,
 34, 41, 105, 115, 116, 118, 122, 124
 Face ventrale (ventral face).....15, 24,
 28, 53, 106, 107, 117, 121, 138, 144
 Famulus ϵ39, 41, 42, 50
 Fémur (femur).....25, **71**
 Fermeoir (clasp, clasping organ).....26,
 116, 136, 139
 Feuillage (foliage).....76, 86
 Flottation (flotation).....11
 Formule (formula).....50
 Fossé chélicérien *FC* (cheliceral
 groove).....30, 32
 Fovéa (pedofossa, fovea pedales)..46

G

Gale (scabies).....20, 40, 83,
 84, 130, 136, 142
 Galle (gall).....22, 76, 114
 Gamasida.....**7**, 79
 Gena *GE*.....30, 32
 Génual (genu).....25, **71**, 17
 Glандe (gland).....6, 23, 46, 47
 52, 54, 55, 84, 90, 118, 140

exocrine.....37, 46, 54, 104
 opisthosomale (opisthosomal).....54,
 128, 140
 Gnathosome (gnathosoma).....**5**, 6,
 20, 28, 29, 30, 55, 89, 90, 97, 106,
 109, 139
 Gnathosomisation (gnathosomization).
6
 Gnathotectum.....30, 33
 Graphisme (graphism).....**17**
 Griffes (claw).....27, 91,
 99, 105, 107
 Gynepolymorphisme (gynepolymorphism)
67, 70

H

Habitat (habitat).....74, 75, 76, 77,
 80, 83, 85, 86, 105, 107, 127, 131,
 138, 146
 Harmonie (harmony).....72, 73
 Hétérochronie (heterochrony).....70
 Hétéromorphisme (heteromorphism)....
61, 64, 65, 67
 Holoïdie (holoidy).....21
 Holothyrida.....3, **7**, 69, 89, 90, 94, **99**
 Homéomorphisme (homeomorphism)..
61, 67
 Homologie (homology).....**41**, 44, 46,
 58, 62, 69
 Hyperphorésie (hyperphoresy).....81
 Hypope (hypopus).....22, 56, 60,
 61, 64, 65, 67, 70, 81, 82, 84, 136,
 137, 138, 139, 141
 Hypostome.....30

I

Idionymie (idionymy).....**16**
 Idiosome (idiosoma).....15, 16, 20,
 21, 23, 25, 28, 30, 33, 34, 52, 54, 55,
 89, 104, 105, 130, 138, 139
 Imago.....24, 49, 50, 54, 58,
 59, 63, 65, 66, 67, 68, 70, 72, 89, 91,
 127, 131, 132, 141

- Infracapitulum (subcapitulum).....28,
29, 30, 32, 90
- Inhibition.....65
- Insecte.....2, 5, 6, 9,
12, 22, **26**, 28, 64, 74, 78, 81, 83,
103, 107, 116, 120
- Insémination (insemination).....59, 60
- Isophénon (isophenon).....**62**, 69
- Ixodida**7**, 69, 89, 94, **96**, 97, 98
- L**
- Labre (labrum).....30
- Lacinia.....90, 91, 107
- Lamelle (lamella)13, 14, 15, 36, 45,
130, 133, 134, 146
- Larve (larva).....**5**, 6, 37, 49,
50, 54, 56, 57, 58, 59, 60, 63, 64, 66,
68, 69, **71**, 72, 78, 81, 99, 114, 115,
116, 127, 132
- Lenticule (lenticulus).....54
- Lèvre (lip).....30, 32, 95
- Ligne de déhiscence d (line of dehiscence).....57, 58, 114, 130
- Limbe (limbus).....35, 119
- Lyrifissure.....23, 33, 51, 52, 95,
107, 108, 121, 130
- M**
- Malapophyse32, 44, 45, 46
- mammifère.....12, 22, 37, 83,
84, 116, 118, 142
- Mandibule (mandibula).....5
- Mentum *M*.....30, 32
- Méristasie (meristasy)..65, 66, 70, 136
- Méristique (meristic).....**61**, 62
- Mesostigmata...3, **7**, 30, 69, 89, 90, 94
- Métélattose (metelattosis).....64,
65, 70, 136
- Microsclérite (microsclerite).....34,
35, 127, 128
- Microscope électronique à balayage
(scanning electron microscope)...18,
29, 53, 186
- Microsculpture.....17, 33, 34
- Migration.....16, 86
- Milieu (environment).....4, 12, 14, 15,
22, 53, 65, 67, **74**, 75, 76, 80, 85,
124, 138, 146, 147
- Mite.....2, 40, 20, 96
- Monophylétisme (monophyletism)....2,
3, 7
- Morphe (morph).....26, 27, 30, 35,
57, 58, 59, 60, 61, 66, 67, 70, 72, 78,
86, 94, 115, 123, 127, 128, 131, 135,
136, 139
- adulte (adult).....**57**, 58
- immature.....**57**, 58, 61,
66, 81, 86, 127, 144
- larvaire (larval).....49, 57, 58,
64, 65, 66, 68, 72
- nymphal.....63, 65, 66, 70, 118, 136
- Mors inférieur *mi* (lower jaw).....29
- Mors supérieur *ms* (upper jaw).....29
- Mue (molt)....40, 56, 58, **61**, **62**, 67, 69
- Muscle.....26, 27, 36, 44, 132
- N**
- Naso.....28, 53, 124, 125
- Néotrichie (neotrichy).....50, 51
- Niveau ontogénétique (ontogenetic level).....**63**, 72
- Notation ontogénétique (ontogenetic).....71, **72**
- Notogaster.....24, 54, 130
- O**
- Ocelle (ocellus).....53, 89, 93, 94,
95, 98, 115, 117, 123
- Œil (eye).....54
- Œuf (egg).....56, 57, 59, 60,
63, 64, 69, 71, 140, 141, 142
- Oiseau.....9, 10, 12, 41, 48,
50, 83, 84, 86, 114, 139, 141
- Ongle (unguis).....27, 28, 29, 30, 40,
44, 48, 49, 50, 81, 89, 90, 91, 93, 94,
95, 99, 121, 138, 139

- Opilioacarida.....7, 53, 69, 89, **94**
 Opilioacariformes.....3, 8, 68, 94
 Opisthosome (opisthosoma)..5, 16, 54
 Ordinateur (computer).....18, 19
 Organe de Claparède (Claparède's organ).....58, 59
 Organe de Grandjean Δ (Grandjean's organ).....43, 91, 92
 Organe de Haller (Haller's organ).....
47, 89, 96, 99, 97
 Organe de Thon (Thon's organ)99
 Organe de With (With's organ)..94, 95
 Organe éreynétal (ereynetal organ).....
39, 47
 Organe rhagidial (rhagidial organ).....
39, 113
 Organe télotarsal (telotarsal organ).....
94, 95
 Oribatida2, 5, 6, **7**, 9, 10, 16, 20, 21,
 24, 26, 27, 28, 30, 36, 42, 45, 46, 47,
 48, 50, 53, 54, 57, 58, 61, 70, 71, 72,
 73, 75, 76, 79, 80, 82, 91, 92, **126**,
 127, 128, 129, 131, 132, 134, 138
 Orientation13, 14, 15, 16, 131
 Outil (tool)12, 88
 Ovipositeur (ovipositor)....59, 141, 142
- P**
- Palpe (palp).....5, 6, 27–30, 32, 33, 38,
 42–44, 45, 47, 48, **71**, 85, 86, 89–91,
 94, 95, 97, 99, 102, 103, 109, 111,
 112, 113, 115, 116, 117, 118, 122,
 136, 138, 139
 Palpigradi.....27, 30
 Palposome (palposoma).....136
 Papille génitale (genital acetabulum)...
 58, 59, 91, 113, 115, 130, 137, 138
 Parade nuptiale (courtship display).....
70
 Parasitengonina.....51, 110, **114**, 115
 Parasitifformes.....3, 4, **7**, 21, 22, 23,
 25, 29, 68, 94, 102, 146
 Parasitisme (parasitism)40, 81,
 83, 84, 85, 86
- Parthénogenèse (parthenogenesis)....
70, 71
 Patte (leg).....2, 5, 6, 15, 16, **17**,
 20, 21, 23–25, **26**, 27, 28, 37, 38, 42,
 46, 49, 50, 52, 55–60, 63, 64, 67–69,
 81, 90, 94, 99, 103, 109, 114, 116,
 119, 120, 121, 124, 129, 138, 141,
 142, 143, 144, 145
 Pelote fécale (fecal pellet).....129,
 134, 135
 Pérित्रème (peritreme)....23, 53, 88, 89,
 90, 91, 93, 99, 100, 103, 107, 109,
 118
 Phanère (phanere).....6, 37, 38, **39**,
 40, 41, 44, 46–48, 71, 88, 94, 96
 association.....47, 48, 124
 déplacement (move).....48–49, 146
 piliforme (seta-like).....37, 38,
 39–41, 44, 46, 136
 sécrétion (secretion)33, 46, 81
 typologie (typology).....39
 Phanérotaxie (phanerotaxy).....6
 Pheromone (pheromone).....54
 Phorésie (phoresy).....81–82, 84, 136
 Phorétomorphe (phoretomorph).....
67, 70
 Photographie (photography).....15, 17
 19, 39, 44, 81, 146
 Phylogenèse (phylogeny).....71,
 72, 96, 142
 Physogastrie (physogastry).....120
 Pièce buccale (mouthpart).....28,
 84, 136
 Plastron.....53
 Podomère (podomere).....16, 25, **26**,
 27, 44, 60, 85, 86, 89, 129, 138
 Podosome (podosoma).....20, 23,
 25, 36, 119
 Podospermie (podospermy).....59
 Poil (hair).....16, **17**, 18, 23,
 26, 27, 29, 37–42, 43, 44–51, 53, 54,
 67, 72, 82, 90, 91, 97, 102, 108, 111,
 114, 116, 117, 118, 121, 123, 124,
 125, 127, 128, 130, 131, 132, 133,
 138, 139, 141, 142, 144

Poil *k* (seta *k*).....42, 47, 114
 Poil ordinaire (ordinary hair).....38,
 44, 47, 108
 Polymorphisme de stase (polymor-
 phism of stase).....60, 66, 67, 68
 Polyphylétisme (polyphyletism)7
 Ponte.....59
 Pore d'insémination (insemination
 pore).....59
 Pore excréteur (excretory pore).24, 59
 Poroïdotaxie (poroidotaxy).....51, 52
 Prélarve (prelarva).....57, 58,
 60, 62, 63, 65, 68, 99, 114
 Préparation définitive (permanent
 preparation of slides).....14
 Préparation temporaire (temporary
 preparation of slides).....13
 Prétarse (pretarsus).....26,
 28, 105, 139, 140, 141
 Prodorsum20, 23,
 36, 37, 47, 54, 57, 72, 73, 90, 91, 93,
 120, 123, 124, 125, 128, 129, 130,
 134
 Prolamelle (prolamella).....36
 Proral.....16, 50
 Prosome (prosoma)...5, 20, 21, 47, 94
 Prostigmata.....4, 5, 7, 40, 48, 49, 51,
 53, 64, 71, 78, 91, 110, 111
 Protélatose (protelattosis).....63,
 64, 65, 70
 Protogyne.....67
 Protonympe (protonymph).....
 56, 58, 63, 65, 67, 73, 114
 Protostasie (protostasy).....63
 Pseudo-arrhénotoquie (pseudoarrhe-
 notoky).....71
 Pseudorutellum.....45, 46, 90
 Pseudosclérite (pseudosclerite).....35
 Pseudoscorpiones.....4
 Pseudotagme (pseudotagma).....20
 Ptéromorphe (pteromorph).....26, 27,
 35, 131, 135
 Ptychoïdie (ptychoïdy).....21, 26, 129
 Pulville (pulvillus).....28, 91,
 120, 121, 140

R

Racine (root).....37–39, 45
 Récolte (collection).....11, 12,
 15, 80, 146
 Région coxisternale (coxisternal area).
23, 36
 Reproduction.....56, 58, 63, 65,
 70, 71, 146
 Retranchement (retrenchment)65,
 66, 70, 118
 Richesse (richness).....4, 8, 9, 75,
 85, 105, 111, 128, 141
 Ricinulei.....94
 Rutellum.....29, 44–46, 90, 94,
 95, 125, 127

S

Scalp.....130, 132
 Sclérite (sclerite).....24, 34,
 35, 52, 93, 115
 Scléritisation (scleritization).....35
 Sclérotisation (sclerotization)...35, 128
 Scorpiones.....2, 6, 37
 Sécrétion (secretion).....33, 46, 81
 Segmentation.....5, 6
 Selle capitulaire SC (capitular saddle).
 30, 32
 Sémiologie (semiology).....17,
 39, 64, 66, 68, 69
 Sensille (sensillum).....33, 37
 à pore terminal (terminal pore).....37
 à pores pariétaux (wall pores).....37
 Sensillus (sensillum)
 Voir trichobothrie
 Sigillotaxie (sigillotaxy).....6
 Sillon abjugal *abj* (abjugal furrow).....
20, 21
 Sillon circumcapitulaire *cc* (circumcapi-
 tular furrow).....20, 21
 Sillon *das* (furrow).....20, 88, 113, 121,
 125, 128, 129, 130, 132, 133, 143
 Sillon disjugal *disj* (disjugal furrow).....
 20, 21

| | |
|--|--|
| Sillon séjugal <i>sej</i> (sejugal furrow)..... | Thélytoquie (thelytoky)..... |
|20, 21 | 71 |
| Soie (silk)..... | Tibia..... |
| 37, 477, 11, | 25, 38, 42, 43, |
| Sol (soil)..... | 44, 48, 49, 71 , 90 |
| 22, 74–76, 78, | Tocospermie (tocospermy)..... |
| 85, 86, 111, 113, 114, 118, 120, 124, | 59 |
| 127, 129, 130, 146, 186 | Trachée (trachea)..... |
| Solénidion (solenidion)..... | 52, 53, |
| 33, 38, 39, | 74, 75, 83, 90, 120 |
| 42, 45, 46, 47, 48, 60, 114, 119, 121 | Translamelle (translamella)..... |
| Solénostome (solenostome)..... | 134 |
| 54 | Tri (sorting)..... |
| Soma..... | 11, 12, 90 |
| 20, 21, 22 | Trichobothrie (trichobothrium) 37, 38, |
| terminologie en soma (soma termino- logy)..... | 39, 47, 72, 73, 91, 93, 112, 113, 115, 124, 125, 127, 128, 130, 133 |
| 21, 22 | Tritonymphe (tritonymph)..... |
| Somite..... | 57, 58, |
| 21, 28 | 63, 65, 66, 67, 73, 82, 89, 114, 118, 127, 131, 132, 133 |
| Spermathèque (spermatheca)..... | Tritosternum..... |
| 59, | 30, 90, 91, 107 |
| 108, 143 | Trochanter..... |
| Spermatodactyle (spermatodactyl)..... | 25, 32, 29, |
| | 42, 50, 71 , 88, 89 |
| 60, 32 | Trombidiformes..... |
| Stade (stage, instar)..... | 7, 8, 21, |
| 61, 62, 69 | 28, 30, 32, 34, 38, 39, 42, 43, 47, 52, 57, 58, 59, 60, 63, 64, 67, 78, 79, 80, 81, 83, 90, 110, 111 |
| Stase..... | |
| 11, 56, 60–72, | |
| 73, 114, 118, 130, 136 | |
| Stasoïde (stasoid)..... | |
| 62 | |
| Sternum..... | |
| 23, 88 | |
| Stigmate (stigmata)..... | |
| 53, | |
| 90, 91, 99, 109 | |
| Stratégie de développement (strategy of development)..... | |
| 70 | |
| Stratégie de reproduction (strategy of reproduction)..... | |
| 70 | |
| T | |
| Tache claire..... | |
| 54 | |
| Taches oculaires..... | |
| 54 | |
| Tænidie (taenidium)..... | |
| 52, 53 | |
| Tagme (tagma)..... | |
| 5, 6, 20 | |
| Taille (size)..... | |
| 5 , 11, 18, 51, 75, 94, 96, 116, 128, 129 | |
| Tarse (tarsus)..... | |
| 16, 25–29, 38, 41, 43, 44, 46, 47–50, 52, 60, 71 , 90, 93, 94, 96, 104, 107, 113, 118, 121, 138, 141 | |
| Tectal..... | |
| 117 | |
| Tectopédie (tectopedium)..... | |
| 35 | |
| Tectum..... | |
| 30, 35, 36, 128, 134 | |
| Tegmen..... | |
| 30 | |
| | U |
| | Urnule (urnula)..... |
| | 54 |
| | Uropodina..... |
| | 101, 103, 104 |
| | Urstigma..... |
| | 58, 59 |
| | V |
| | Ventouse (sucker)..... |
| | 40, 41, 56, 60, 82, 136, 141, 143 |
| | Vertition (vertition)..... |
| | 51 |
| | Volet anal (anal valve)..... |
| | 130 |
| | Volet génital (genital valve)..... |
| | 130 |
| | Voltinisme (voltinism)..... |
| | 69 |

À propos des auteurs

Le D^r **Henri M. André** (1949) est *Master of Science* de l'*Oregon State University* (OSU-USA) et Docteur en Sciences de l'Université Catholique de Louvain (UCL-Belgique). Il a été assistant en écologie du P^r Ph. Lebrun (UCL) et a été initié à l'acarologie par les P^{rs} Y. Coineau et G. W. Krantz. De 1984 à sa retraite en 2011, il a travaillé au Musée royal de l'Afrique centrale où il était responsable des collections d'acariens. Outre l'enseignement à l'UCL, il a professé l'acarologie dans le cadre du cours européen d'acarologie, versions anglaise et française.

Le D^r **Julien K. N'dri** (1974) a obtenu son doctorat en Écologie des communautés (2010) à l'Université Catholique de Louvain (UCL-Belgique) en défendant une dissertation originale sur la diversité biologique des acariens du sol de la Côte d'Ivoire. Il est assistant à l'UFR des Sciences de la nature de l'Université d'Abobo-Adjamé et chercheur associé au Centre de Recherche en Écologie (Abidjan, Côte d'Ivoire).



Henri M. André (à gauche) et Julien K. N'dri (à droite) au microscope électronique à balayage du Musée royal de l'Afrique centrale.

Titres déjà parus dans la série

Taxonomie des holothuries des Comores

Y. Samyn, D. VandenSpiegel & C. Massin
Abc Taxa Vol 1 - 2006

Détérioration des collections de coquilles

R. De Prins & E. Rour (traduction)
Abc Taxa Vol 2 - 2007

Taxonomy of the *Cryptocarya* species of Brazil

P.L.R. De Moraes.
Abc Taxa Vol 3 - 2007

Guia taxonomica de los anfibios de Cuba (with Audio CD)

L.M. Diaz & A. Cadiz
Abc Taxa Vol 4 - 2008

Introduction to the taxonomy of the amphibians of Kaieteur National Park, Guyana

P.J.R. Kok & M. Kalamandeen
Abc Taxa Vol 5 - 2008

Sri Lankan Seaweeds – Methodologies and field guide to the dominant species

E. Coppejans, F. Leliaert, O. Dargent, R. Gunasekara & O. De Clerck
Abc Taxa Vol 6 - 2009

The Bee Genera and Subgenera of sub-Saharan Africa

C. Eardley, M. Kuhlmann & A. Pauly
Abc Taxa Vol 7 - 2010

Manual on field recording techniques and protocols for All Taxa Biodiversity Inventories and Monitoring

J. Eymann, J. Degreef, Ch. Häuser, J.C. Monje, Y. Samyn & D. VandenSpiegel (eds)
Abc Taxa Vol 8 (part 1 & 2) - 2010

Les genres et sous-genres d'abeilles de l'Afrique subsaharienne

C. Eardley, M. Kuhlmann & A. Pauly
Abc Taxa Vol 9 - 2010

Champignons comestibles des forêts denses d'Afrique centrale – Taxonomie et identification

H. Eyi Ndong, J. Degreef & A. De Kesel
Abc Taxa Vol 10 - 2011

Naturalised and invasive succulents of southern Africa

M. Walters, E. Figueiredo, N.R. Crouch, P.J.D. Winter, G.F. Smith, H.G. Zimmermann & B.K. Mashope
Abc Taxa Vol 11 - 2011

Guide taxonomique des oligochètes dulçaquicoles du Maghreb

P. Martin & A.A. Boughrous
Abc Taxa Vol 12 - 2012